



1616  
\$

File: 12067-0003

**IN THE UNITED STATES PATENT AND TRADEMARKS OFFICE**

**RECEIVED**  
NOV 20 2003  
TECH CENTER 1800/2800

**In The Matter Of Patent Application:**

Applicant : Michael J. ROCHON  
Assignee : Virox Technologies Inc.  
Serial No. : 10/067,809  
Filing Date : February 8, 2002  
Title : HYDROGEN PEROXIDE DISINFECTANT WITH INCREASED  
ACTIVITY  
Examiner : John Pak  
Art Unit : 1616  
Paper No. :

---

To: **Box RESPONSE**  
Assistant Commissioner for Patents  
The U.S. Department of Commerce,  
PATENT OFFICE  
Alexandria, VA 22313

**RESPONSE**

Dear Sirs,

This is in response to the Examiner's Report of July 9, 2003 setting an initial due date for reply of **October 9, 2003**. Applicant hereby requests a one month extension of time to reply by **November 9, 2003**. As this date falls on a Sunday, this response shall be deemed to be timely filed if filed by **November 10, 2003**.

**REMARKS**

Examiner has rejected pending claims 1, 2, 4-10, 12-40 and 42-54 for being anticipated or obvious in view U.S. 6,043,209 to Micciche et al., U.S. 4,518,585 to Greene et al., WO 98/18894 to Silvaggi et al., U.S. 5,900,256 to Scoville, Jr. et al., U.S. 4,637,899 to Kennedy, Jr., and Block, "Disinfection, Sterilization, and Preservation" (Lea & Febiger, 4<sup>th</sup> ed., 1991, Philadelphia).

11/12/2003 HALI11 00000079 10067809

01 FC:1251

110.00 OP